

- Superior Abrasion
- Heat Sealable
- Mildew Resistant Backing and Face
- UV Stabilized Pigments (1,000 hours)

ISLANDER



COMPOSITION

	ISLANDER	ALLEGRO	APEX	NAVIGATOR
100% POLYESTER HI-LOFT BACKING	-	-	-	-
WEIGHT/SQ YD	29	27	29	29
WIDTH (INCHES)	54	54	54	54
ROLL SIZE (YDS)	30	30	30	30

FLAMMABILITY CODES

	ISLANDER	ALLEGRO	APEX	NAVIGATOR
CAL-TB 117-2015	-	-	-	-
FMVSS 302	-	-	-	-
IMO FTP 2010 Code MSC.307 (88) Part 8.3.1 and 3.2	-	-	-	-
NFPA 260 - CLASS 1	-	-	-	-
UFAC - CLASS 1	-	-	-	-

FINISHES & TREATMENTS

	ISLANDER	ALLEGRO	APEX	NAVIGATOR
PERMAGUARD	-	-	-	-
PERMABLOK	-	-	-	-
MILDEW RESISTANT BACKING & FACE	-	-	-	-
UV STABILIZED PIGMENTS	-	-	-	-
COLD CRACK (F°)	-10	-10	-10	-10
ABRASION	50,000	50,000	100,000	50,000

CARE & CLEANING GUIDE

- The vinyl should be cleaned periodically in order to maintain its appearance and prevent build-up of dirt and contaminants.
- Any stain, spills, or soiling should be cleaned up promptly to prevent the possibility of permanent staining.
- Use soft soapy solutions or special cleaning products for vinyl fabrics to remove stains on the surface of the material. Remove only with a damp white cloth.
- Lacquers, strong cleaners, detergents, xylene-based solutions, acetone or MEK cause immediate damage and contribute to the deterioration of the material. The use of such cleaners is at the owner's risk.

ALLEGRO



APEX



NAVIGATOR



ORION



POLARIS



PEGASUS



SEABREEZE



COMPOSITION

	ORION	POLARIS	GEMINI	PEGASUS	SEABREEZE	HEIDI SOFT	ARIES
100% POLYESTER HI-LOFT BACKING	-	-	-	-	-	-	-
WEIGHT/SQ YD	29	29	29	29	29	29	29
WIDTH (INCHES)	54	54	54	54	54	54	54
ROLL SIZE (YDS)	30	30	30	30	30	30	30

FLAMMABILITY CODES

	ORION	POLARIS	GEMINI	PEGASUS	SEABREEZE	HEIDI SOFT	ARIES
CAL-TB 117-2015	-	-	-	-	-	-	-
FMVSS 302	-	-	-	-	-	-	-
IMO FTP 2010 Code MSC.307 (88) Part 8.3.1 and 3.2	-	-	-	-	-	-	-
NFPA 260 - CLASS 1	-	-	-	-	-	-	-
UFAC - CLASS 1	-	-	-	-	-	-	-

FINISHES & TREATMENTS

	ORION	POLARIS	GEMINI	PEGASUS	SEABREEZE	HEIDI SOFT	ARIES
PERMAGUARD	-	-	-	-	-	-	-
PERMABLOK	-	-	-	-	-	-	-
MILDEW RESISTANT BACKING & FACE	-	-	-	-	-	-	-
UV STABILIZED PIGMENTS	-	-	-	-	-	-	-
COLD CRACK (F°)	-10	-10	-10	-10	-10	-10	-10
ABRASION	50,000	50,000	100,000	100,000	50,000	50,000	50,000

GEMINI



HEIDI SOFT MARINE



ARIES



CALYPSO*




PERMAGUARD®
SUPERIOR STAIN RESISTANCE

*Calypso, Marlin and Beluga are treated with PERMAGUARD® stain resistant top-coated system.

BELUGA*



SILVERTEX



COMPOSITION

	BELUGA	SILVERTEX	CALYPSO	MARLIN
100% POLYESTER HI-LOFT BACKING	-	-	-	-
WEIGHT/SQ YD	29	30	29	29
WIDTH (INCHES)	54	54	54	54
ROLL SIZE (YDS)	30	30	30	30

FLAMMABILITY CODES

	BELUGA	SILVERTEX	CALYPSO	MARLIN
CAL-TB 117-2015	-	-	-	-
FMVSS 302	-	-	-	-
IMO FTP 2010 Code MSC.307 (88) Part 8.3.1 and 3.2	-	-	-	-
NFPA 260 - CLASS 1	-	-	-	-
UFAC - CLASS 1	-	-	-	-

FINISHES & TREATMENTS

	BELUGA	SILVERTEX	CALYPSO	MARLIN
PERMAGUARD	-	-	-	-
PERMABLOK	-	-	-	-
MILDEW RESISTANT BACKING & FACE	-	-	-	-
UV STABILIZED PIGMENTS	-	-	-	-
COLD CRACK (F°)	-10	-10	-10	-10
ABRASION	100,000	100,000	100,000	100,000

MARLIN*



SILVERGUARD®
SILVER ION TECHNOLOGY

TREXX



SIMTEX



REFLEX MQ



COMPOSITION

	TREXX	SIMTEX	REFLEX MQ
100% POLYESTER HI-LOFT BACKING	-	-	-
WEIGHT/SQ YD	30	30	30
WIDTH (INCHES)	54	54	54
ROLL SIZE (YDS)	30	30	30

FLAMMABILITY CODES

	TREXX	SIMTEX	REFLEX MQ
CAL-TB 117-2015	-	-	-
FMVSS 302	-	-	-
IMO FTP 2010 Code MSC.307 (88) Part 8.3.1 and 3.2	-	-	-
NFPA 260 - CLASS 1	-	-	-
UFAC - CLASS 1	-	-	-

FINISHES & TREATMENTS

	TREXX	SIMTEX	REFLEX MQ
PERMAGUARD	-	-	-
PERMABLOK	-	-	-
MILDEW RESISTANT BACKING & FACE	-	-	-
UV STABILIZED PIGMENTS	-	-	-
COLD CRACK (F°)	-10	-10	-10
ABRASION	50,000	100,000	50,000

CARE & CLEANING GUIDE

- The vinyl should be cleaned periodically in order to maintain its appearance and prevent build-up of dirt and contaminants.
- Any stain, spills, or soiling should be cleaned up promptly to prevent the possibility of permanent staining.
- Use soft soapy solutions or special cleaning products for vinyl fabrics to remove stains on the surface of the material. Remove only with a damp white cloth.
- Lacquers, strong cleaners, detergents, xylene-based solutions, acetone or MEK cause immediate damage and contribute to the deterioration of the material. The use of such cleaners is at the owner's risk.